Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L2	219	primitive adj function	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	OFF	2006/03/27 16:55
L3	2	L2 near (pin or core or block or cell or element)	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	OFF	2006/03/27 16:54
L5	7	L2 and HDL	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	OFF	2006/03/27 16:55
L6	35354	(core same pin)	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	ON	2006/03/27 17:11
L7	117043	(defin\$6 or creat\$3 or build\$3) near (function or block or heirarch\$5)	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	ON	2006/03/27 17:11
L8	1018	L6 and L7	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	ON	2006/03/27 17:11
L9	0	L8 and (class same function)	JPO	OR	ON	2006/03/27 17:11
L10	0	L6 and (pin near (characteristic or attribute or parameter or propert\$3))	JPO	OR	ON	2006/03/27 17:14
L11	8128	(core or pin) same rule	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	ON	2006/03/27 17:14
L12	0	L11 and (source or domain or root)	JPO	OR	ON	2006/03/27 17:14
S1	32	datapath adj system	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	ON	2006/03/24 12:51

S2	9	S1 and (pin or core)	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	ON	2006/03/24 12:49
S4	2	S3 and (pin near rule)	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	ON	2006/03/24 12:48
S5	3	S2 and (class\$3)	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	ON	2006/03/24 12:49
S6	32	datapath adj system	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	ON	2006/03/24 12:52
S7	212	(core or pin) near rule	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	ON	2006/03/24 12:54
S8	8127	(core or pin) same rule	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	ON	2006/03/24 12:55
S9	4293	S8 and (source or domain or root)	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	ON	2006/03/27 17:14
S10	99	S7 and (source or domain or root)	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	ON	2006/03/24 13:10
S11	43	S9 and (core near pin)	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	ON	2006/03/24 13:10
S12	329	S9 and (core same pin)	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	ON	2006/03/24 14:36

3/27/2006 5:26:05 PM

S13	3	S10 and (core near pin)	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	ON	2006/03/24 13:10
S14	5	S10 and (core same pin)	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	ON	2006/03/24 13:10
S15	4	S12 and ((system or pin) near (characteristic or attribute))	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	ON	2006/03/24 13:15
S16	3	S12 and (primitive near function)	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	ON	2006/03/24 13:17
S17	177	S12 and ((execut\$3 or perform\$3) near (function or instruction))	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	ON	2006/03/24 14:24
S18	1	S17 and (class near \$2type)	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	ON	2006/03/24 13:19
S19	53	S17 and (class)	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	ON	2006/03/24 13:19
S20	124	S17 and (not S19)	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	ON	2006/03/24 14:24
S21	35346	(core same pin)	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	ON	2006/03/24 14:36
S22	108	S21 and (pin near (characteristic or attribute or parameter or propert\$3))	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	ON	2006/03/27 17:14

3/27/2006 5:26:05 PM

Page 3

			_			
S23	4	S22 and (core near (characteristic or attribute or parameter or propert\$3))	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	ON	2006/03/24 14:39
S24	1	S22 and (class near (rule or instruction))	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	ON	2006/03/24 15:01
S25	1	S22 and (class same (rule or instruction))	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	ON	2006/03/24 15:01
S26	11	S22 and (class)	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	ON	2006/03/24 15:01
S27	117017	(defin\$6 or creat\$3 or build\$3) near (function or block or heirarch\$5)	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	ON	2006/03/24 15:26
S28	16	S22 and S27	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	ON	2006/03/24 15:16
S29	1018	S21 and S27	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	ON	2006/03/24 15:29
S30	18	S29 and (wire near pins)	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	ON	2006/03/24 15:27
S31	18	S29 and (wire near pin)	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	ON	2006/03/24 15:27
S32	1	S29 and (route near pin)	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	ON	2006/03/24 15:27

S33	18	S29 and (rout\$3 near pin)	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	ON	2006/03/24 15:27
S34	146	S29 and (class same function)	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	ON	2006/03/27 17:11
S35	6	S29 and (class near function)	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	ON	2006/03/24 15:29
S36	1	("20030167161").PN. ·	US-PGPUB; USPAT	OR	OFF	2006/03/27 14:45
S38	5	(("6425109") or ("20050198601") or ("20030167161") or ("6298468") or ("6477691")).PN.	US-PGPUB; USPAT	OR	OFF	2006/03/27 14:46
S39	2	S38 and class\$3	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	OFF	2006/03/27 16:52

3/27/2006 5:26:05 PM Page 5